

INDEX MAPS.

T. 10N, R. 11E. 2nd Mer.

	73	73	73	72	72	71						
75	6	100	5	95	4	92	3	88	2	87	1	71
	100		99		94		92	89	88		87	
75	7	99	8	94	9	91	10	86	11	87	12	71
	99		98		94		91	86	86-85		85	
75	18	98	17	93	16	91	15	85	14	84	13	70
	97		97		93		91	84	84		80	
74	19	97	20	92	21	90	22	82	23	79	24	69
	96		96		90		90-83		81		79	77
74	30	96	29	89	28		27	81	26		25	69
	95		95		89-83		83	82	80-77		77	
74	31	95	32	89	33	82	34	78	35	76	36	69
	69		68		68		78	67	67		67	

T. 11N, R. 11E. 2nd Mer.

	109		109		108		108		107		107	
112	6	134	5	128	4	124	3	122	2	119	1	107
	134		133		128		124		122		118	
111	7	133	8	128	9	124	10	121	11	117	12	106
	133		132		127		123		121		117	
111	18	132	17	127	16	123	15	121	14	116	13	106
	132		131		127		123		121-116		116	
110	19	131	20	126	21	122	22	121	23	115	24	106
	130		130		126		120-114	114	115		115	
110	30	130	29	126	28	120	27	114	26	113	25	105
	129		129		125		119	113	113		112	
109	31	129	32	125	33	119	34	113	35	112	36	105
	105		104		104		103		103		103	

The figures on the lines refer to the page.

Township N. 10 North, Range N. 11 East 2.nd Mer. Indiana ⁶⁷

ch. 1/4 Sec. South Boundary.

West On S. boundary of Sec. 36

5.25 a Brook 30 lks. wide Course S.

16.57 a Beech 14 in. diam.

32.15 a Brook 30 lks. wide Course S.

40.00 Set q. Sec. post, from which

a Beech 6 in. diam. bear N 31 W 20 lks. dist. 1/2

a Do. 13 " " " 16 W 3 " "

42.03 a P. Gum 17 " "

55.75 a watercourse 5 lks. wide runs S.

76.00 a Beech 15 in. diam.

80.00 Set post Cor. to Sec. 35 of 36, from which

a Beech 13 in. diam. bear N 59 E 14 lks. dist. 1/2

a W. Oak 54 " " " 178 W 42 " "

Land waving, timber, Beech, Oak, Poplar,
Ash, Hickory, Gum &c.

West On S. boundary of Sec. 35

18.08 a Poplar 17 in. diam.

29.20 a watercourse 6 lks. wide runs S. E.

40.00 Set q. Sec. post, from which

a Beech 18 in. diam. bear N 82 E 24 lks. dist. 1/2

a Do. 10 " " " 157 W 12 " "

69.50 a watercourse 6 lks. wide runs S. W. 10 lks. then with

70.23 a P. Oak 24 in. diam. [the line]

80.00 Set post Cor. to Sec. 34 of 35, from which

a Beech 18 in. diam. bear N 65 E 9 lks. dist. 1/2

a Do. 6 " " " 125 W 26 " "

Land level, timber, Beech, Oak, Gum, Sugar,
Hickory, Ash &c

West On S. boundary of Sec. 34

10.50 a Brook 20 lks. wide runs S. W.

13.50 a watercourse 6 " " " S.

14.25 a Sugar 17 in. diam.

40.00 Set q. Sec. post, from which

T.M.N. P.M.E. 2^d. Mer. Indianach².h

- a Beech 16 in. diam. bay N 23° W 4 lks. dist. of
 a Do. 6 " " " S 41° E 15 " "
 43.40 a Beech 16 " "
 80.00 Set post Cor. to Sec. 33 of 34 from which
 a Beech 16 in. diam. bay N 42° E 5 lks. dist. of
 a Do. 6 " " " S 49° W 15 " "
 Land level, timber, Beech, Oak, Sugar
 Hickory, Poplar &c

West On S. boundary of Sec. 33

- 8.82 a Beech 22 in. diam.
 9.75 a Brook 25 lks. wide runs S.W.
 27.51 Intersected the boundary of Set post from which
 a Sugar 16 in. diam. bay N 7° W 2 lks. dist. of
 a Beech 11 " " " S 33° E 23 " "
 Land waving, timber Beech, Oak, Hickory
 Poplar, Ash &c. January 24th. 1807
 John Brownson, W.S.

- 40.00 Set gr. Sec. post, from which
 a Beech 5 in. diam. bay S 83° W 15 lks. dist. of
 a Do. 5 " " " S 67° E 9 " "

73.06 a Brook 14 lks. wide Course S. E

- 80.00 Set post Cor. to Sec. 32 of 33, from which
 a Beech 14 in. diam. bay N 41° W 6 lks. dist. of
 a Do. 12 " " " S 31° W 19 " " with one right
 Rolling land, timber Beech, Oak &c.

West On S. boundary of Sec. 32

- 40.00 Set gr. Sec. post, from which
 a Beech 20 in. diam. bay S 85° E 19 lks. dist. of
 a Do. 18 " " " S 81° W 24 " "
 80.00 Set post Cor. to Sec. 31 of 32, from which
 a Beech 18 in. diam. bay N 33° E 9 lks. dist. of
 a Do. 78 " " " S 53° W 19 " "
 Over Rolling land timber Beech & Oak
 Comed by John Sandricks in 1819

69

T.M.N. R.N.E. 2nd Mer. Indiana

ch. lks

West On S. boundary of Sec. 31

40.00 Set q. Sec. post (bearings omitted)

53.06 Intersected the Range line at the corner of
 Townships 9 & 10 North, Range 10 & 11 East
 Over level Beech land. June 10th 1819

John M. Donald, D. S.

East Boundary var. 5th E.

North On E. boundary of Sec. 36

10.42 a B. Oak 14 in. diam. bray

27.00 a Brook 20 lks. wide Course S 20° W

40.00 Set q. Sec. post, from which

a Beech 15 in. diam. bray N 11° W 18 lks. dist. &

a Do. 17 " " " S 22° E 9 " "

61.52 a Hickory 16 in. diam. & a brook 4 lks. wide runs S 10° E

80.00 Set post Cor. to Sec. 25 & 36, from which

a Beech 6 in. diam. bray N 28° E 3 lks. dist. &

an Ash 9 " " " S 29° W 43 " "

Land waving, timber Beech, Oak, Hickory
 Ash, Poplar, Sugar &c

North On E. boundary of Sec. 25

26.64 a Beech 13 in. diam.

40.00 Set q. Sec. post, from

a B. Oak 24 in. diam. bray S 5° E 23 lks. dist. &

a W. Oak 20 " " " N 27° E 5 " "

44.14 an Ash 13 " "

57.00 a Watercourse 8 lks. wide runs N. W.

80.00 Set post Cor. to Sec. 24 & 25, from which

a Beech 14 in. diam. bray N 25° E 39 lks. dist. &

a Do. 12 " " " S 10° W 7 " "

Land waving, timber Beech, Oak, Poplar,
 Sugar &c. January 23rd 1807

North On E. boundary of Sec. 24

0.55 a Hickory 24 in. diam.

Township 2nd Mer. Indiana

ch^d lks.

- 5.40 a watercourse 8 lks. wide runs N.W.
 6.44 a N. Oak 20 in. diam.
 17.64 Intersected the boundary Set post, from which
 a Poplar 17 in. diam. bears N 39° W 25 lks. dist. of
 a Hickory 16 " " " S 36° E 24 " "
 Land waving, timber Oak, Hickory, Beech, Sugar &c.
 John Brownson, R. S.
 28.00 a Brook 3 lks. wide Course W
 39.00 a Do. 3 " " " W.
 40.00 Set of Sec. post, from which
 a Beech 12 in. diam. bears S 31° E 28 lks. dist. of
 a Do. 14 " " " N 42° W 30 " "
 45.00 a Brook 20 lks. wide Course S.W
 54.75 a N. Oak 14 in. diam.
 55.00 a Brook 20 lks. wide Course S.E.
 57.00 a Do. 20 " " " S.W
 78.00 looped Do.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Sycamore 18 in. diam. bears N 63° E 18 lks. dist. of
 a Sugar 14 " " " N 37° W 28 " "
 Wet bottom, timber, Elm, Beech, Sugar &c

North On E. boundary of Sec. 13

- 2.00 a Brook 20 lks. wide Course S.E.
 20.50 a Do. 4 " " " W.
 23.35 a N. Oak 36 in. diam.
 40.00 Set of Sec. post, from which
 a Elm 18 in. diam. bears N 76° W 17 lks. dist. of
 a Beech 14 " " " S 82° E 32 " "
 45.00 a Brook 6 lks. wide Course W
 65.00 a Do. 3 " " " W
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Beech 16 in. diam. bears N 56° W 17 lks. dist. of
 a Do. 6 " " " N 89° E 18 " "
 Good Beech land

71

S.W. N.E. 2nd Mer. Indiana

ch. lks.
 North On E. boundary of Sec. 12
 13.00 a Brook 4 lks. wide Course W.
 18.00 a Do. 4 " " " W.
 20.25 a Beech 18 in. diam.
 40.00 Set q. sec. post, from which
 a Beech 12 in. diam. bear S 57 E 20 lks. dist. &
 a Do. 12 " " " N 15 W 19 " "
 50.00 a Brook 3 lks. wide Course W.
 52.00 loops brook 20 lks. wide Course S. W.
 67.00 Do. Do. 20 " " " S. W.
 69.00 a Brook 10 lks. wide Course W.
 80.00 Set post Cor. to Sect. 14 & 12, from which
 a Beech 12 in. diam. bear West 16 lks. dist. &
 a Do. 18 " " " N 63 E 18 " "
 Good beech land

North On E. boundary of Sec. 1
 21.00 a Brook 4 lks. wide Course S. W.
 40.00 Set q. sec. post, from which
 a Beech 6 in. diam. bear N 89 E 12 lks. dist. &
 a Do. 12 " " " S 34 W 15 " "
 51.00 a Brook 3 lks. wide Course S. E.
 67.00 a Gum 16 in. diam.
 80.00 Set post Cor. to Township 10 of 11 North, Range
 11 of 12 East, from which
 a Beech 18 in. diam. bear S 22 E 8 lks. dist. &
 a Do. 16 " " " N 58 W 43 " "
 Good level land timber Beech, Ash, Oak, Hick.

North Boundary. Oct. 5th 1810

West On S. boundary of Sec. 36, S.W. N.E.
 26.00 a Sweet Gum 15 in. diam.
 40.00 Set q. sec. post, from which
 a Beech 18 in. diam. bear N 79 W 21 lks. dist. &
 a Do. 10 " " " S 60 E 29 " "
 52.50 a Brook 3 lks. wide Course N.

72. T.M.N. R.M.E. 2nd Mer. Indiana

Ch². lkr.

68.50 a W. Oak 40 in. diam^t;

80.00 Set post Cor. to Sec^s. 35 & 36, from which
a W. Oak 36 in. diam^t. bears S 31 W 15 lkr. dist. of
a Beech 13 " " " N 14 E 30 " "
Level Beech land very good

West On S. boundary of Sec. 35, T.M.N. R.M.E.

22.50 a Brook 3 lkr. wide Course N.

35.00 a do 3 " " " N.

40.00 Set q. Sec. post, from which
a Beech 8 in. diam^t. bears N 24 E 8 lkr. dist. of
a do. 16 " " " S 24 W 20 " "

55.20 a Beech 16 " "

66.50 a Brook 10 lkr. wide Course N.W.

80.00 Set post Cor. to Sec^s. 34 & 35, from which
a Sugar 15 in. diam^t. bears N 64 W 12 lkr. dist. of
a Beech 18 " " " N 73 E 42 " "
Poor Beech land, broken with deep guts

West On S. boundary of Sec. 34, T.M.N. R.M.E.

20.00 a Creek 100 lkr. wide Course N.

30.30 Intersected the boundary line 8.90 North of the
Sassapar marked for the 5th mile - Set post at
the intersection from which
a Beech 18 in. diam^t. bears S 29 E 12 lkr. dist. of
a do. 18 " " " N 57 W 23 " "
Broken Beech land

Alexander Holmes, R. S.

June 18th 1879

40.00 Set q. Sec. post, from which
a Beech 8 in. diam^t. bears S 85 E 12 lkr. dist. of
a do. 20 " " " N 35 W 23 " "

80.00 Set post Cor. to Sec^s. 33 & 34, from which
a Beech 21 in. diam^t. bears N 65 E 5 lkr. dist. of
a do. 12 " " " S 22 W 43 " "
(description of land &c. Omitted.)

73

T.M.N. R.N.E. 2^d Mer. Indiana

Ch^d Lkr.

West On S. boundary of Sec. 33, T.M.N. R.N.E.

11.21 a Beech 33 in. diam.

16.00 a Branch 4 lkr. wide Course N.

26.00 a Do. 4 " " " N.

30.00 a Do. 3 " " " N.

40.00 Set g. Sec. post, from which
a Sugar 8 in. diam. bear S.W. 32 lkr. dist. of
a Beech 4 " " " N 30 W 11 " "

40.25 a Creek 70 lkr. wide Course S.W.

57.00 a Branch 4 " " " S.

75.65 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 15 in. diam. bear S 31 W 15 lkr. dist. of
a Beech 8 " " " N 5 W 23 " "
Broken land timber Beech &c.

West On S. boundary of Sec. 32, T.M.N. R.N.E.

11.00 a Branch 4 lkr. wide Course N.E.

16.00 a Do. 3 " " " N.

25.00 a Do. 6 " " " N.E.

40.00 Set g. Sec. post, from which
a Beech 18 in. diam. bear N 32 W 26 lkr. dist. of
a Do. 5 " " " S 57 E 10 " "

45.87 a Beech 22 " "

51.00 a Branch 5 lkr. wide N.W.

58.00 a Do. 5 " " N.

78.00 a Creek 6 " " N.E.

80.00 Set post Cor. to Sec. 31 & 32 from which
a Beech 10 in. diam. bear N 78 E 24 lkr. dist. of
a Do. 21 " " " S 75 W 26 " "
Land timber &c. Same as on the last mile

West On S. boundary of Sec. 31, T.M.N. R.N.E.

10.00 a Branch 4 lkr. wide Course S.

22.00 a Do. 6 " " " S.

40.00 Set g. Sec. post, from which

T10N. R10E, 2nd Mer. Indiana

Ch. Lk.

a Beech 6 in. diam.; bray N18W6 lks. dist. &
 a No. 4 " " " S56E5 " "
 58.66 Intersected the N. boundary of the Range, at
 the Cor. of Township 10 & 11 North, of Range
 10 & 11 East 2nd Mer.
 Land 2nd rate, timber Beech &c. undg.th
 Spice. June 17th 1819

West Boundary

North On E. boundary of Sec. 36, T10N. R10E

10.00 a W. Oak 36 in. diam.
 30.00 a branch 6 lks. wide Course E.
 40.00 Set g^r. Sec. post, from which
 a Beech 8 in. diam.; bray S20W21 lks. dist. &
 a No. 6 " " " N49W17 " "
 55.26 a Maple 24 in. diam.
 80.00 Set post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. diam.; bray N81E14 lks. dist. &
 a No. 10 " " " N31W23 " "
 Level land, Beech, Poplar, Oak &c. undg.th Spice

North On E. boundary of Sec. 25, T10N. R10E.

40.00 Set g^r. Sec. post, from which
 an Oak 36 in. diam.; bray N44E13 lks. dist. &
 a Beech 5 " " " S74W22 " "
 61.80 a Beech 20 " "
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Beech 10 in. diam.; bray S77W7 lks. dist. &
 a No. 12 " " " N4E9 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 24, T10N. R10E.

40.00 Set g^r. Sec. post from which
 a Beech 15 in. diam.; bray S32W25 lks. dist. &
 a Maple 24 " " " N72W22 " "
 47.96 a Beech 24 " "

75

S.W. 1/4 Sec. 2^d Mer. Indiana

Ch. P. Lk.

61.50 a Branch 4 lks. wide Course E.

67.63 a Poplar 36 in. diam

80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 10 in. diam. - bear S 10 W 12 lks. dist. &
a No. 6 " " " N 42 W 22 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, S 10 N. R 10 E.

40.00 Set q. Sec. post, from which
a Beech 10 in. diam. - bear N 47 E 21 lks. dist. &
a No. 8 " " " S 63 W 14 " "

47.80 an Oak 28 in. diam

80.00 Set post Cor. to Sec. 12 of 13, from which
a Gum 20 in. diam. - bear S 10 W 7 lks. dist. &
a Beech 24 " " " N 47 W 32 " "
Land timber and &c. same as on the last mile.

North On E. boundary of Sec. 12, S 10 N. R 10 E.

33.90 a Beech 15 in. diam.

40.00 Set q. Sec. post, from which
a Beech 10 in. diam. - bear N 49 W 36 lks. dist. &
a No. 5 " " " S 76 W 24 " "

41.00 a Branch 6 lks. wide Course E.

47.50 a No. 4 " " " S. E.

74.00 a No. 4 " " " S. E.

80.00 Set post Cor. to Sec. 1 of 12, from which
a Beech 15 in. diam. - bear N 6 W 23 lks. dist. &
a No. 12 " " " S 46 W 19 " "
First half mile same as last - Last 1/2 mile rolling
2^d rate, timber Beech, Oak, Ash, Poplar &c. undy. Spruce

North On E. boundary of Sec. 1, S 10 N. R 10 E.

38.00 a Creek 40 lks. wide Course E.

40.00 Set q. Sec. post, from which
a Beech 30 in. diam. - bear S 28 E 13 lks. dist. &
a No. 12 " " " N 36 E 38 " "

Township 10 N. E. 2^d. Mer. Indiana

Ch. lky.

- 75.00 a Branch 6 lky. wide Course N. E.
 81.20 Set post* Cor. to Township 10 N North, of
 Range 10 E East, from which
 a Beech 30 in. diam. bray N 15 E 35 lky. dist. of
 a Do. 18 " " " S 9 W 40 " "

* This post is a Beech 18 in. diam.

(Description of land &c. Omitted)

June 18th 1819

John M^c. Donald
 Deputy Surveyor

Comp.

Subdivision

North Between Sec^s. 35 & 36

- 1.40 a watercourse 5 lky. wide Course E
 1.99 a Beech 15 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Hickory 13 in. diam. bray N 69 W 13 lky. dist. of
 a Beech 11 " " " S 68 E 18 " "
 43.00 a W. Oak 22 " "
 54.67 a Do. 26 " "
 60.00 a watercourse 10 lky. wide run N. E.
 66.20 a Do. 8 " " E.
 80.00 Set post Cor. to Sec^s. 25, 26, 35 & 36, from which
 a Beech 18 in. diam. bray N 74 W 23 lky. dist. of
 a Poplar 20 " " " S 25 E 14 " "
 Land waving, timber Beech, Oak, Poplar, Hick^y.
 Gum, Sugar &c.

East On Range^m. between Sec^s. 25 & 36

- 40.00 Set temp^y. q^r. Sec. post
 46.30 a watercourse 8 lky. wide run S. E.
 49.10 a Brook 30 lky. wide run S.
 52.10 a Do. 10 " " " S.
 80.00 a watercourse 4 lky. wide Course S.
 80.13 Intersected the E. boundary at the post
 Land timber &c. same as on last mile

77

T.M.V. R. 11 E. 2nd Mer. Indiana

ch^d. 10th.

West Corrected between Sec^s. 25 & 36

- 0.30 a Lynn 13 in. diam.
 1.42 a Beech 12 " "
 40.06 1/2 Set q^r. Sec. post at average dist. from which
 a Gum 8 in. diam. bray S 76 W 8 lks. dist. of
 a Beech 7 " " " N 89 E 15 " "
 45.94 a Hickory 16 " "
 80.13 to Sec. Corner
-

North Between Sec^s. 25 & 26

- 21.47 a Beech 12 in. diam.
 33.55 a Watercourse 6 lks. wide run, W.
 40.00 Set q^r. Sec. post, from which
 a Hickory 15 in. diam. bray N 25 E 27 lks. dist. of
 a Beech 11 " " " S 5 E 6 " "
 44.63 Intersected the boundary line, set post from
 which a Beech 11 in. diam. bray N 39 E 22 lks. dist. of
 a W. Oak 36 " " " S 28 W 25 " "
 Land level timber Oak, Hick, Beech, Poplar
 Gum, Ash &c.
-

West Between Sec^s. 24 & 25

- 9.07 a Poplar 46 in. diam.
 19.00 a Brook 25 lks. wide Course S.
 26.81 Intersected boundary & set post, from which
 a Beech 6 in. diam. bray N 60 W 18 lks. dist. of
 a Sugar 7 " " " N 4 E 6 " "
 Land waving, timber Beech, Oak, Sugar
 Hickory, Ash &c.
-

West Between Sec^s. 26 & 35

- 9.76 a Poplar 36 in. diam.
 11.18 a Watercourse 4 lks. wide run, S. E.
 28.00 a Do. 4 " " " S 80 E
 34.61 a Beech 13 in. diam.
 40.00 Set q^r. Sec. post, from which

S.W. N.E. 2^d Mer. Indianach^d. l^y.

- at Beech 7 in. diam. bray N 13 W 19 l^y. dist. 5
 a B. Gum 16 " " " N 13 E 14 " "
 40.94 a Poplar 20 " "
 67.20 a Do. 24 " "
 67.60 Intersected the boundary, set post, from which
 at Beech 8 in. diam. bray N 26 E 24 l^y. dist. 5
 a Do. 16 " " " N 60 W 24 " "
 Sand level, timber Beech, Oak, Poplar, Hickory
 Gum &c.

North Between Sec^s. 34 & 35

- 9.37 a Poplar 66 in. diam.
 17.20 a watercourse 8 l^y. wide Course W.
 23.10 a Do. 12 " " " S. W.
 26.20 a W. Oak 48 in. diam.
 40.00 Set q. sec. post, from which
 a Beech 8 in. diam. bray S 11 W 29 l^y. dist. 5
 a Do. 7 " " " N 46 E 12 " "
 42.00 a Watercourse 4 l^y. wide run, W.
 46.61 a Poplar 18 in. diam.
 71.27 Intersected the boundary & set post, from which
 a Poplar 20 in. diam. bray South 20 l^y. dist. 5
 a Beech 24 " " " N 12 W 26 " "
 Sand waving, timber Beech, Oak, Hickory
 Ash, Poplar, &c.

North Between Sec^s. 33 & 34

- 7.11 a W. Oak 40 in. diam.
 18.55 Intersected the boundary & set post, from which
 a Sugar 5 in. diam. bray N 72 E 47 l^y. dist. 5
 an Elm 18 " " " S 52 W 34 " "
 Sand timber &c. same as on the last mile

January 25th 1807

John Brownson,

Deputy Surveyor

79

S.W. R. 11 E. 2nd Mer. Indiana

Ch². Lk.

November 25th 1840

North Between Sec^s. 25 & 26

- 40.20 Came to the Old q^r. Sec. post
 45.10 Came to the Indian boundary line, from which
 a Beech 10 in. diam^r. bear N 41 E 22 lks. dist. &
 a W. Oak 36 " " " S 30 W 25 " "
 49.00 a watercourse 6 lks. wide runs S 68 E
 65.00 a Gum 16 in. diam^r. in the line
 71.00 a watercourse 8 lks. wide runs E.
 80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26, from which
 a Beech 18 in. diam^r. bear S 9 W 21 lks. dist. &
 a No. 6 " " " N 9 E 10 " "
 This mile Over small hills 2nd. rate land
 timber, Oak, Beech, Poplar &c.

East Between Sec^s. 24 & 25

- 17.70 a Red Oak 30 in. diam^r. in the line
 25.00 a watercourse 8 lks. wide runs S 40 E
 40.00 Set q^r. Sec. post, from which
 a Beech 5 in. diam^r. bear S 79 W 20 lks. dist. &
 a No. 12 " " " N 72 E 14 " "
 63.68 Intersected the boundary line, & Set post 8 lks.
 from an old post, from which
 a W. Oak 36 in. diam^r. bear S 86 W 30 lks. dist. &
 a Beech 6 " " " S 42 W 20 " "
 (Description of land &c. Omitted)

North Between Sec^s. 23 & 24

- 6.60 a watercourse 6 lks. wide runs S 60 E
 20.00 to South side of fallen timber entirely blown down
 22.50 a watercourse 6 lks. wide runs East
 34.00 a No. 8 " " " E. & leave fallen tim^r.
 40.00 Set q^r. Sec. post, from which
 a W. Oak 34 in. diam^r. bear S 74 W 28 lks. dist. &
 a Beech 9 " " " N 47 E 28 " "
 50.00 a watercourse 5 lks. wide Course E.

T W N R M E. 2nd Mer. Indiana

Ch. lkr.

61.76 a Poplar 22 in. diam. in the line

80.00 Set post Cor. to Secs. 13, 14, 23 & 24 from which
a Gum 14 in. diam. bear S. E. 15 lkr. dist. of
a Maple 18 " " " N. W. 9 " "This mile small ridges, timber Oak, Poplar
Beech 2nd rate landEast On Rand^m between Secs. 13 & 24

10.00 a Watercourse in the line

35.00 the Watercourse leaves the line

40.00 Set temp^y. of Sec. post80.17 Intersected the E. boundary 5 lkr. S. of post.
This mile level 2nd rate land, timber, Beech,
Oak, Poplar &c.

West On true line between Secs. 13 & 24

40.08 Set of Sec. post, at average dist. from which
a Beech 18 in. diam. bear S 33 W 19 lkr. dist. of
an Oak 22 " " " N 61 E 31 " "

80.17 to Sec. Corner

North Between Secs. 34 & 35

40.05 Came to Old of Sec. post

72.09 Came to the boundary line of set post, the
old one not seen, from which
a Poplar 22 in. diam. bear S 5 W 21 lkr. dist. of
a Beech 30 " " " N. W. 24 " "

75.00 a watercourse 6 lkr. wide run N.

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
a Beech 10 in. diam. bear S. W. 11 lkr. dist. of
a Do. 5 " " " N 25 W 4 " "This mile over easy ridges 2nd rate land
timber Oak, Beech, Poplar &c

East Between Secs. 26 & 35

11.56 a W. Oak 48 in. diam. in the line

81

T.M.V. R.N.E. 2^d Mer. Indiana

Ch. M.

12.67 Came to the boundary line, fell 3 lks. South
of a post set by T.B. from which
a B. Oak 28 in. diam. bray North 18 lks. dist. of
a Beech 6 " " " S 2 E 15 " "
Land 2^d rate.

North Between Sec. 26 & 27

7.23 a watercourse 5 lks. wide runs N 32 W
15.50 a Sugar tree 18 in. diam. in the line
32.25 a watercourse 3 lks. wide runs S 69 W
40.00 Set of. sec. post, from which
a Beech 22 in. diam. bray S 35 W 32 lks. dist. of
a Do. 4 " " " S 50 E 5 " "
45.00 a Watercourse 16 lks. wide runs with the line S 30 W.
50.00 a Do. — Comes from N 20 E
56.00 a Beech 17 in. diam. in the line — and a
watercourse 20 lks. to the E. of the line
Comes from N 40 E.
62.00 a Watercourse 8 lks. wide runs E.
67.00 first mentioned Watercourse on this line
80.00 to the edge of a streak of fallen timber —
no timber standing, set post Co. to Sec. 22, 23,
26 & 27, from which
a Beech 12 in. diam. bray N 20 W 26 lks. dist. of
a Do. 18 " " " S 74 W 28 " "
Land 2^d rate, timber Oak, Beech & Poplar.

East On Rand^m between Sec. 23 & 26

2.50 a Watercourse 15 lks. wide Course S 16 W
26.00 a Gum tree 17 in. diam. in the line
40.00 Set temp. of. sec. post
80.30 intersected the N of S. line 3 lks. N. of post.
This mile level 2^d rate land, timber Oak,
Ash, Poplar &c.

West Connected between Sec. 23 & 26

Township 11 E. 2nd Mer. Indiana

Ch. 1st 1/4.

- 40.15 Set q. Sec. post at average dist. from which
a Beech 13 in. diam. bear N 14 W 9 1/2 ch. dist. of
a No. 14 " " " S 55 E 36 " "
80.30 to Sec. Corner

North Between Sec. 22 & 23

- 12.15 a Beech 10 in. diam. in the line
19.50 a Watercourse 20 ch. wide run E.
40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bear N 80 E 6 1/2 ch. dist. of
a No. 14 " " " S 110 W 20 " "
79.25 a Watercourse 8 ch. wide run S. E.
80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
a Sugar tree 15 in. dia. stand for the Corner
Over level 2nd rate land, timber Oak, Beech,
Poplar &c.

North Between Sec. 33 & 34

- 19.60 to Boundary line, Set a post (there being none
here) from which
a W. Ash 24 in. diam. bear S 62 W 49 1/2 ch. dist. of
an Elm 20 " " " S 116 W 50 " "
40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bear N 58 E 16 1/2 ch. dist. of
a No. 18 " " " West 15 " "
54.00 a Beech 15 " " in the line
80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 8 in. diam. bear N 26 E 9 1/2 ch. dist. of
an Elm 10 " " " S 25 E 23 " "
Open 2nd rate land, easy ascent & descent,
timber Oak, Beech, Poplar &c.

East On Range between Sec. 27 & 34

- 40.00 Set temp. q. Sec. post
60.00 a Watercourse 12 ch. wide Course South
70.25 a No. 20 " " " South

83

S.W. N.E. 2nd Mer. Indiana

Ch^d. L^y.
80.64 Intersected the N & S. line 24 L^y. S. of post
Came over level 3rd rate land, timber Oak,
Beech, Poplar, Sugar &c.

West Corried between Sec^s. 27 & 34

40.32 Set of. Sec. post at average dist. from which
a W. Oak 34 in. diam. bear S 68 E 22 L^y. dist. of
a Beech 10 " " " N 68 W 12 " "

80.64 to Sec. Corner.

West Between Sec^s. 28 & 33

11.15 a Poplar 20 in. diam. in the line

11.71 to the Boundary line Set post, from which
a Beech 12 in. diam. bear S 72 E 5 L^y. dist. of
a Do 18 " " " N 11 E 20 " "

Over level land, Oak, Beech & Poplar timber

North Between Sec^s. 27 & 28

5.62 a Beech 18 in. diam. in the line

9.25 a Watercourse 10 L^y. wide runs West

40.00 Set of. Sec. post, from which
a Beech 18 in. diam. bear S 56 E 25 L^y. dist. of
a Do. 12 " " " N 70 E 24 " "

73.00 Intersected Boundary line Set post, from which
a Beech 6 in. diam. bear N 2 W 26 L^y. dist. of
a Do. 15 " " " S 20 E 9 " "

Over level rich land, timber Oak, Beech,
Poplar, Sugar &c.

West Between Sec^s. 22 & 27

40.00 Set of. Sec. post, from which
a Beech 15 in. diam. bear South 3 L^y. dist. of
a Do. 30 " " " N 10 W 31 " "

79.35 intersected the boundary line Set post, from which
a Beech 8 in. diam. bear N 24 W 18 L^y. dist. of
a Do. 8 " " " N 51 E 21 " "

S.W. R.R. E. 2nd Mer. Indiana

ch. lks

Over level 2nd rate land, timber all destroyed by a hurricane

West Between Sec. 15 & 22

- 9.40 a Beech 20 in. diam. in the line
 40.00 Set q. Sec. post, from which
 a Beech 18 in. diam. bear S 78° W 13 lks. dist. of
 a Do. 12 " " " N 85° E 12 " "
 44.60 a Poplar 36 " " in the line
 66.20 Intersected boundary line & set post, from which
 a Beech 24 in. diam. bear N 76° E 15 lks. dist. of
 a Do. 12 " " " N 71° W 14 " "
 Over 1st rate land, timber Oak, Beech,
 = Ash, Poplar &c.

East On Rand. between Sec. 14 & 23

- 33.00 a Watercourse 10 lks. wide run South
 40.00 Set temp. q. Sec. post
 79.50 a Watercourse 5 lks. wide run South
 79.92 Intersected the N & S. line 16 lks. N. of post
 This mile flat land, timber Oak, Beech,
 Maple, Hickory &c.

West On true line between Sec. 14 & 23

- 39.96 Set q. Sec. post at average dist. from which
 a Maple 12 in. diam. bear S 57° E 11 lks. dist.
 a Beech 13 " " " S 40° E 33 " "
 79.92 to Sec. Corner

North Between Sec. 13 & 14

- 40.00 Set q. Sec. post, from which
 a Beech 18 in. diam. bear S 63° E 18 lks. dist. of
 a Do. 15 " " " S 57° W 24 " "
 51.00 a Watercourse 5 lks. wide run S 80° E.
 68.80 a W. Oak 55 in. diam. in the line
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

85

SW 1/4 Sec. 2nd Mer. Indiana

Ch. 1/4

a Gum 26 in. diam. bears N 30 E 45 lks. dist. 5
 a Hickory 16 " " " N 5 W 26 " "
 Open level 2nd rate land, timber Oak, Hickory
 Gum, Poplar &c.

East On Rand^m between Sec. 12 & 13

17.00 a Watercourse 7 lks. wide Course S 85 E

25.00 a do. in the line

35.00 Watercourse to the left of the line

45.50 do. bears to the right S 82 E

73.50 a Watercourse 20 lks. wide runs South

80.12 Intersected the E. boundary 8 lks. N. of post
 This mile level 2nd rate land, timber Oak
 Hickory, Poplar & Beech

West On true line between Sec. 12 & 13

40.06 Set q. Sec. post at average dist. from which
 a B. Walnut 30 in. diam. bears N 66 E 52 lks. dist. 8
 a Beech 16 " " " S 80 W 12 " "

80.12 to Sec. Corner.

West On Rand^m between Sec. 11 & 14

40.00 Set temp. q. Sec. post

60.25 a Water Course 20 lks. wide runs N.

80.00 Set temp. q. Sec. post.

This mile level 2nd rate land, timber Oak
 Beech, Poplar &c

North Between Sec. 14 & 15

20.02 a Beech 12 in. diam. in the line

40.00 Set q. Sec. post, from which

a Beech 10 in. diam. bears S 72 W 10 lks. dist. 8

a do. 6 " " " N 72 E 3 " "

61.55 a Beech 15 " " in the line

80.00 Set post Cor. to Sec. 10, 11, 14 & 15 from which

a Beech 20 in. diam. bears N 62 W 19 lks. dist. 8

West N. E. 2^d. Mer. Indiana

Ch. lkr.

a Beech 6 in. diam. beam S 44 E 16 lkr. dist. 6
This line intersected the random line 63 lkr.
N. of the end of that line 40 lkr. West of the
end of that line. Over level 2^d. rate land
timber Oak, Beech & Poplar

West Between Sec. 10 & 15

7.50 a Watercourse 12 lkr. wide runs N. W.
15.70 a W. Oak tree 15 in. diam. in the line
40.00 Set q. Sec. post, from which
a Beech 30 in. diam. beam S 26 W 23 lkr. dist. 9
a Hickory 15 " " " N 74 E 13 " "
53.92 Intersected the boundary line & set post from which
a W. Oak 36 in. diam. beam S 16 E 25 lkr. dist. 7
a Sugar 12 " " " N 12 W 14 " "
Over broken poor land, Oak, Beech & Poplar

North Between Sec. 10 & 11

18.50 a Watercourse 20 lkr. wide runs N 70 W
30.00 a Do. 15 " " " N. W.
38.60 a Poplar 24 in. diam. in the line
40.00 Set q. Sec. post, from which
a Beech 20 in. diam. beam N 46 W 25 lkr. dist. 9
a Do. 8 " " " N 72 E 14 " "
47.00 a Watercourse 15 lkr. wide runs N. W.
70.00 a Creek 75 lkr. wide Course N 20 E
72.75 a Sugar 18 in. diam. in the line
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sycamore 8 in. diam. beam N 4 E 31 lkr. dist. 5
a Do. 15 " " " S 40 W 41 " "
Over hilly 3^d. rate land, timber Oak, Beech
Poplar &c. This post stands on the bank of
a creek 75 lkr. wide runs N.

East On true line between Sec. 11 & 14

40.20 Set q. Sec. post at average, dist. from which

87

Town N.E. 2^d. Mer. Indiana

Ch. 1st

a Beech 15 in. diam. bear S 19° W 11 lks. dist. of
a Do. 24 " " " N 86° E 20 " "
80.40 to Sec. Corner.

North Between Sec. 11 & 12

4.50 a Watercourse 5 lks. wide run S 70° E
17.00 a Do. 8 " " " S 28° E
23.35 a W. Oak 30 in. diam. in the line
40.00 Set the q^r. Sec. post, from which
a Beech 9 in. diam. bear N 20° E 7 lks. dist. of
a Poplar 36 " " " S 61° W 38 " "
47.60 a Watercourse 6 lks. wide run S 50° E
59.02 a W. Oak 29 in. diam. in the line
80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which
a Maple 16 in. diam. bear N 82° E 15 lks. dist. of
a Beech 24 " " " S 39° W 41 " "
Over level 2^d. rate land, timber Oak, Beech,
Hickory, Poplar &c.

East On Rand^m. between Sec. 1 & 12

40.00 Set temp. q^r. Sec. post
70.00 a Watercourse 10 lks. wide run S 50° E.
80.04 Intersected the E boundary 40 lks. N. of post
This mile level 2^d. rate land, timbered with
large Oak, Poplar & Beech

West On true line between Sec. 1 & 12

40.02 Set q^r. Sec. post at average dist. from which
a Poplar 6 in. diam. bear S 86° W 23 lks. dist. of
a W. Oak 30 " " " N 79° W 44 " "
80.04 to Sec. Corner.

North Between Sec. 1 & 2

32.25 a W. Oak 30 in. diam. in the line
40.00 Set q^r. Sec. post, from which
a W. Oak 28 in. diam. bear S 16° W 33 lks. dist. of

SW 1/4 Sec. 2. Mer. Indiana

ch. lky
 at Beech 15 in. diam. - bear N 43 E 41 lky. dist.
 63.27 a Do. 13 " " in the line
 78.52 intersected N. boundary 69 lky. W. of post,
 Set post cor. to Sec. 2 of 2, from which
 a B. Oak 30 in. diam. - bear N 47 W 43 lky. dist. 5
 a Beech 16 " " " S 17 E 25 " "
 This mile flat land, timber Maple, Gum &c.

West On Rand^m. between Sec. 2 & 11

15.00 a Stream runs N.E.
 40.00 Set temp^y. q^y. Sec. post
 75.00 a Creek 7 lky. wide runs —
 80.10 intersected the N & S. line 71 lky. S. of post
 Level thin land, timber Oak, Beech, Poplar &c.

East On true line between Sec. 2 & 11

40.05 Set q^y. Sec. post at average dist. from which
 a Beech 12 in. diam. - bear N 68 W 15 lky. dist. 5
 a Do 15 " " " S 79 E 20 " "
 80.10 to Sec. Corner

North Between Sec. 2 & 3

7.90 a Sugar tree 15 in. diam. in the line
 13.50 a Watercourse 20 lky. wide runs W.
 40.00 Set q^y. Sec. post, from which
 a Beech 10 in. diam. - bear N 15 E 22 lky. dist. 4
 a Do. 8 " " " S 3 E 14 " "
 50.50 a Beech 18 in. diam. stands on the line
 51.75 a Watercourse 10 lky. wide runs W.
 77.75 intersected the N. boundary 165 lky. W. of post
 Set a post cor. to Sec. 2 & 3, from which
 a Beech 10 in. diam. - bear S 63 E 9 lky. dist. 8
 a Do. 14 " " " N 45 W 46 " "
 Over hilly 3^d rate land, timber Oak,
 Beech, Poplar & Hickory

89

West R.M.E. 2^d Mer. Indiana.

Ch. 1/4.

West Between Sec. 3 & 10

23.25 a Watercourse 8 lks. wide run N.E.

30.10 a Beech 20 in. diam. in the line

41.00 Intersected Boundary line & set post, from which
a Beech 10 in. diam. bears N 83° W 4 lks. dist. &

a P. Oak 40 " " " S 29° E 9 " "

Over hilly 3^d rate land, Oak, Beech, Sugar.

November 29th 1870

William Ludlow,

Deputy Surveyor

Comp

North Between Sec. 32 & 33

40.00 Set q. Sec. post, from which

a Beech 7 in. diam. bears N 5° W 32 lks. dist. &

a Do 10 " " " S 75° E 30 " "

52.50 a Poplar 48 in. diam.

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which

a Beech 18 in. diam. bears N 31° E 8 lks. dist. &

a Do. 6 " " " S 50° W 21 " "

Broken 2^d rate land, timber Beech, Poplar, W.
Oak, undergth Spruce

East On Land 9^m. between Sec. 28 & 33

40.00 Set temp. q. Sec. post

61.00 a stream 20 lks. wide course south

69.50 Intersected the Indian boundary 100 lks. S. of post
Land timber &c. same as on the last mile

West Corrected between Sec. 28 & 33

40.60 Set q. Sec. post, at average dist. from which

a Beech 4 in. diam. bears N 30° W 12 lks. dist. &

a Hognut 5 " " " S 17° W 22 " "

81.20 (whole length) to Sec. Corner

North Between Sec. 28 & 29.

30.00 a Sugar 12 in. diam.

T. W. N. R. N. E. 2^d. Mer. IndianaCh^d lth

40.00 Set q^r. Sec. post from which
a Beech 12 in. diam. bray N 42° W 13 lth. dist. 4
a Do. 18 " " " N 16° E 22 " "

67.00 a W. Oak 11 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Hickory 12 in. diam. bray N 72° E 19 lth. dist. 4
a Beech 12 " " " N 85° W 22 " "
Land level inclining to west, 2^d. rate, principally
Beech, some Spice, much green briar

East On Land^m. between Sec. 21 & 28

37.50 a Stream 15 lth. wide Course South

40.00 Set temp^y. q^r. Sec. post.

58.50 a Spring Course —

81.92 Intersected E. boundary 50 lth. North of post
Land level inclining to west, 2^d. rate, Beech,
W. Oak, Hickory, Ash & Spice

West Corrected between Sec. 21 & 28

40.96 Set q^r. Sec. post at average dist. from which
a Beech 6 in. diam. bray N 32° W 9 lth. dist. 5
a dogw. 5 " " " N 35° W 26 " "

81.92 to Sec. Corner

North Between Sec. 27 & 28, from Old post on boundary

7.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 20 in. diam. bray S 25° E 9 lth. dist. 4
a Do. 11 " " " N 54° W 4 " "

East On Land^m. between Sec. 22 & 27

1.32 Intersected the Old boundary 12 lth. N. of post

West Corrected between Sec. 22 & 27

1.32 to Sec. Corner.

North Between Sec. 21 & 22

32.64 a Beech 10 in. diam.

91

S.W. 1/4 Sec. 2. Mer. Indiana

Ch. lks.

40.00 Set q. Sec. post, from which
a Maple 24 in. diam. bear S 35 W 23 lks. dist. of
a R. Oak 24 " " " N 29 E 17 " "

40.96 a R. Oak 36 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 30 in. diam. bear S 73 E 3 lks. dist. of
a do 18 " " " N 84 W 36 " "

Level wet 3^d rate land, Beech, Ash, W. R. Oak,
Elm, Spice underg^d.

East On Rand^m between Sec. 15 & 22

14.30 Intersected Old Indian boundary 150 lks. North
of the post

West Corrected between Sec. 15 & 22

14.30 to Sec. Corner

North between Sec. 15 & 16

22.38 a Spring Course—

35.00 a Stream 6 lks. Course S. W.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bear S 55 E 8 lks. dist. of
a R. Oak 24 " " " N 39 W 43 " "

64.38 a Stream 35 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Sugar 12 in. diam. bear N 84 W 11 lks. dist. of
a do. 12 " " " S 67 E 21 " "

Broken 2^d rate land, Beech, Hick. & W. Oak

East On Rand^m between Sec. 10 & 15

13.60 a Creek 75 lks. wide Course S. (N)

27.95 Intersected Indian boundary line 130 lks. N. of
the Old post. Land broken 3^d rate

West Corrected between Sec. 10 & 15

27.95 to Sec. Corner

North Between Sec. 9 & 10

S.W. R.M.E. 2nd Mer. Indiana

Ch. lky.

13.15 a Stream 12 lky. wide Course S.E.

36.12 a Beech 12 in diam.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bears S 41 E 13 lky. dist. of
a Do. 18 " " " N 13 W 20 " "

64.00 a Spring, Course —

67.12 a W. Oak 48 in. diam.

80.00 Set post Cor. to Sec. 4, 3, 10 & 9 from which
a Beech 5 in. diam. bears N 72 E 15 lky. dist. of
a Do. 12 " " " S 77 W 12 " "
Land hilly 3rd rate, Beech, W. Oak &c.East On Land 8th between Sec. 3 & 1040.00 Intersected Indian boundary 250 lky. N. of old
Corner. Land very hilly, 3rd rate, Beech, W.
O. Oak underbrush Spruce

West Connected between Sec. 3 & 10

Made the old post, corner for the q. Sec.

40.00 to Sec. Corner

September 24th 1819

North Between Sec. 3 & 4

38.10 a Maple 14 in. diam.

40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bears S 19 W 23 lky. dist. of
a Do. 12 " " " N 25 E 31 " "74.17 Intersected the N. boundary 392 lky. N. of post
Set post Cor. to Sec. 3 & 4, from which
a Beech 14 in. diam. bears N 47 E 22 lky. dist. of
a Do. 5 " " " S 19 W 24 " "
Land very hilly 3rd rate, Beech, Ash, W. Oak
Hickory, undergth Spruce

North Between Sec. 20 & 21

7.78 a Beech 8 in. diam.

31.00 a Stream 10 lky. wide Course S. E.

93

S.W. R.E. 2^d. Mer. Indiana

ch. 1st 1/2.

40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bray N 19 W 10 lks. dist. &
a Beech 10 " " " S 1 W 36 " "

48.15 a Poplar 24 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 20 in. diam. bray S 60 E 5 lks. dist. &
a Do. 6 " " " N 41 W 14 " "

Land broken 2^d. rate, Beech, Ash, W. Oak, Hickory
underbrush Spice

East On Rand^m. between Sec. 16 & 21

40.00 Set temp. q. Sec. post

82.19 Intersected the N & S. line 175 lks. N. of post
First half mile level inclining to be wet, 2^d. rate
last 1/2 rolling 2^d. rate Soil thin, Beech, W. Oak, Hickory,
undergrowth Spice

West Corrected between between Sec. 16 & 21

41.09 1/2 Set q. Sec. post at average dist. from which
a Poplar 48 in. diam. bray N 32 E 20 lks. dist. &
a Beech 20 " " " S 4 W 23 " "

82.19 to Sec. Corner

North Between Sec. 16 & 17

22.94 a Beech 10 in. diam.

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bray S 13 E 13 lks. dist. &
a Do. 18 " " " N 40 W 19 " "

61.00 a Gum 18 " "

75.25 a Stream 15 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 18 in. diam. bray S 42 W 5 lks. dist. &
a Do. 17 " " " N 39 E 41 " "

First half mile level & wet 3^d. rate - last 1/2 broken 2^d.
rate, Beech, Ash, R. W. Oak, undergth. Spice

M. N. R. M. E. D. Mer. Indiana

Ch. 1/2 lks.

East On Land 9^m. between Sec. 9 & 16

32.00 a Stream 50 lks. wide Course S. E.

40.00 Set temp. g. Sec. post

81.90 Intersected the N & S. line 100 lks. N. of post
Land very hilly 3^d rate, Beech, W. R. Oak & Spruce

West Connected between Sec. 9 & 16

40.95 Set g. Sec. post at average dist. from which
a Beech 10 in. diam. beam N 61 W 4 lks. dist. of
a Do. 12 " " " N 69 E 29 " "

81.90 to Sec. Corner.

North Between Sec. 8 & 9

21.42 an Ash 24 in. diam.

40.00 Set g. Sec. post, from which
a Beech 16 in. diam. beam S 28 E 11 lks. dist. of
a Do. 6 " " " N 73 E 20 " "

56.13 a Beech 7 " "

61.10 a Stream 10 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 30 in. diam. beam N 3 E 18 lks. dist. of
a Do. 6 " " " S 39 E 9 " "Land broken 3^d rate, Beech, W. R. Oak, undg. SpruceEast On Land 9^m. between Sec. 14 & 9

38.25 a Creek 50 lks. wide Course South

40.00 Set temp. g. Sec. post

81.47 Intersected the N & S. line 270 lks. N. of post
Land very hilly 3^d rate, Beech, W. R. Oak undg. Spruce

West Connected between Sec. 14 & 9

40.73 Set g. Sec. post at average dist. from which
a Sugar 7 in. diam. beam N 3 E 27 lks. dist. of
a W. Beech 5 " " " N 16 W 13 " "81.47 to Sec. Corner. Sept. 25th 1879

ch. lks.

North Between Sec. 4 & 5, T10 N. R11 E.

26.57 a Beech 13 in. diam.

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bray N 21 W 29 lks. dist. of
a Do. 12 " " " South 15 " "

58.25 a Beech 9 " "

70.10 Intersected N. boundary 4.76 lks. W. of post where
set a post Cor. to Sec. 4 & 5, from which
a Beech 12 in. diam. bray S 22 E 5 lks. dist. of
a Do. 11 " " " N 81 E 15 " "
Land very hilly & brushy 3^d rate, Beech, W. Oak,
Hickory &c. underg^d. Dogwood & Spruce

North Between Sec. 31 & 32, T10 N. R11 E.

25.23 a Beech 24 in. diam.

40.00 Set q. Sec. post, from which
a Beech 6 in. diam. bray N 40 E 6 lks. dist. of
an Elm 12 " " " S 18 W 13 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Walnut 20 in. diam. bray N 77 E 20 lks. dist. of
an Ash 10 " " " S 43 W 9 " "

Land level inclining to wet 2^d rate, timber Beech,
Ash, Sugar, underg^d. Dogwood & Spruce

East On Rand^m. between Sec. 29 & 32

40.00 Set temp. q. Sec. post

78.00 Intersected the N & S line 27 lks. South of post
Land level wet 2^d rate

West Corrected between Sec. 29 & 32

39.00 Set q. Sec. post, at average dist. from which
a Beech 11 in. diam. bray N 43 W 19 lks. dist. of
a Hickory 12 " " " S 62 E 2 " "

78.00 to Sec. Corner

West Between Sec. 30 & 31

Township 2ⁿ. Mer. Indiana

ch^d. lky.

32.14 an Elm 7 in. diam.

40.00 Set q^r. sec. post, from which
a Beech 5 in. diam. bearing S 40 W 13 lky. dist. of
a Poplar 4 " " " N 62 E 13 " "

52.41 Intersected N. boundary 267 lky. N. of post, where
set a post Cor. to Sec. 30 & 31, from which
a Beech 6 in. diam. bearing S 46 E 14 lky. dist. of
an Ash 4 " " " N 66 W 12 " "
Sand level & wet 2ⁿ. rate, Beech, Ash, Elm,
Poplar of a small growth

North Between Sec. 29 & 30

30.40 a Beech 10 in. diam.

40.00 Set q^r. sec. post, from which
a Hickory 24 in. diam. bearing S 46 E 3 lky. dist. of
a Beech 6 " " " N 80 E 3 " "

63.32 a Poplar 18 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 6 in. diam. bearing S 32 W 21 lky. dist. of
an Ash 7 " " " N 2 E 17 " "
Sand level & wetish 2ⁿ. rate, Beech, Ash, Poplar
underbrush Spice

East On Land^m. between Sec. 20 & 29

40.00 Set temp^y. q^r. sec. post

78.12 Intersected the N. & S. line 20 lky. South of post
Sand level inclining to wet 2ⁿ. rate, Beech, Ash,
Poplar, underg^d. Spice.

West Corrected between Sec. 20 & 29

39.06 Set q^r. sec. post at average dist. from which
a Beech 18 in. diam. bearing N 52 E 5 lky. dist. of
a Dogwood 3 " " " S 19 E 15 " "

78.12 to Sec. Corner

West Between Sec. 19 & 30

97

T11 N. R11 E. 2nd Mer. Indiana

chth 6th

28.50 a Gum 36 in. diam.

40.00 Set q. Sec. post, from which
a Beech 4 in. diam. bray N10 E16 lks. dist. &
a No. 15 " " " S24 E15 " "

51.42 Intersected W. boundary 259 lks. N. of post, where
Set a post Cor. to Sec. 19 & 30, from which
a Beech 6 in. diam. bray S36 W9 lks. dist. &
a No. 12 " " " N22 W15 " "

Land level inclining to west, 2nd rate timber Beech,
Ash, Poplar, Spice. Sept. 26th 1819

North Between Sec. 19 & 20

22.50 a Stream 12 lks. wide Course S. E.

33.20 a Beech 20 in. diam.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bray S74 W2 lks. dist. &
a No. 10 " " " N74 W28 " "

48.18 a Stream 6 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 10 in. diam. bray S36 E16 lks. dist. &
a No. 11 " " " N25 W24 " "

Level 2nd rate thin soil, Beech, W. Oak, Poplar, Spice.

East On Rand^m. between Sec. 17 & 20

40.00 Set temp. q. Sec. post

78.00 Intersected the N. & S. line 38 lks. South of post
Level 2nd rate, inclining to be west, Beech, Hickory,
W. Oak, Gum, undergth Spice

West Connected between Sec. 17 & 20

39.00 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bray S63 W36 lks. dist. &
a No. 6 " " " N58 E7 " "

78.00 to Sec. Corner

West Between Sec. 18 & 19, T10 N. R11 E.

Township 2nd Mer. Indiana

ch^d lks.

12.84 a Beech 13 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 7 in. diam. bray N 5 W 11 lks. dist. &
a W. Oak 48 " " " S 36 E 19 " "

52.08 Intersected the N. boundary 355 lks. N. of post where
Set a post Cor. to Sec^s. 18 & 19, from which
a Beech 11 in. diam. bray S 38 E 13 lks. dist. &
a Do. 6 " " " N 39 W 17 " "
Level 2nd rate inclining to be wet, Beech, W. Oak
Hickory, Ash, Poplar & Spice, Open woods

North Between Sec^s. 18 & 19

10.09 a Gum 10 in. diam.

40.00 Set q^r. Sec. post at average dist. from which
a Beech 11 in. diam. bray S 16 E 8 lks. dist. &
a Do. 6 " " " N 44 W 21 " "

43.64 a Beech 13 " "

80.00 Set post Cor. to Sec^s. 7, 8, 17 & 18, from which
a Beech 10 in. diam. bray N 25 W 40 lks. dist. &
a Hickory 12 " " " S 1 E 36 " "
Sand timber &c. Same as on the last mile

East On Rand^m. between Sec^s. 8 & 17

40.00 Set temp^y. q^r. Sec. post

42.50 a Spring Course

65.50 a Stream 25 lks. wide Course S. E.

78.00 Intersected the N. & S. line 75 lks. S. of post
First half mile broken 2nd rate - last 1/2 mile, hilly
3rd rate, Beech, W. Ash, Sugar, Poplar, Ash,
undergrowth Spice

West Connected between Sec^s. 8 & 17

39.00 Set q^r. Sec. post at average dist. from which
a Beech 9 in. diam. bray S 30 W 19 lks. dist. &
a Do. 18 " " " N 82 E 25 " "

78.00 to Sec. Corner

S.W. RME. 2nd Mer. Indiana 99

ch^d l^y.

West Between Sec. 7 & 18

19.08 a Beech 10 in. diam.

40.00 Set q^r. Sec. post, from which
at Beech 6 in. diam. bear S 63 E 13 l^y. dist. of
a Do. 5 " " " N 58 W 4 " "

41.12 a Beech 12 " "

52.80 Intersected N. boundary 440 l^y. North of the post
Set post Cor. to Sec. 7 & 18, from which
a W. Oak 24 in. diam. bear West 6 l^y. dist. of
a Beech 10 " " " S 5 E 7 " "
Land rolling soil thin 2nd rate, Beech, W. Oak, Ash,
Poplar, Open woods, undergrowth: Spice

North Between Sec. 7 & 8

6.75 a Stream 25 l^y. wide Course S. E., a few poles east
of the line. it has great fall over a ledge of rocks

26.50 a Poplar 18 in. diam.

39.75 a Stream 8 l^y. wide Course east

40.00 Set q^r. Sec. post, from which
a Sugar 20 in. diam. bear N 35 W 13 l^y. dist. of
at Beech 16 " " " S 3 W 39 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 12 in. diam. bear N 56 W 11 l^y. dist. of
a Do. 10 " " " S 76 E 11 " "
Rolling 2nd rate, thin soil, Beech, W. Oak, Sugar,
Spice &c.

East On Landⁿ. between Sec. 5 & 8

40.00 Set temp^y. q^r. Sec. post

60.00 a Stream 14 l^y. wide Course S. E.

77.49 Intersected the N of S. line 25 l^y. S. of the post
First 1/2 mile rolling 2nd rate - last 1/2 mile very
hilly 3rd rate, Beech, W. Oak, Hickory &c.

West Corrected between Sec. 5 & 8

38.74 1/2 Set q^r. Sec. post at average dist. from which

100

10 N N E. 2^d Mer. Indiana

ch. lks.

a Beech 15 in. diam. - bear S 56 W 14 lks. dist. of

a No. 8 " " " N 68 E 7 " "

77.49 to Sec. Corner.

West Between Sec. 6 & 7

10.90 a Sugar 20 in. diam.

40.00 Set q. Sec. post, from which

a Beech 6 in. diam. - bear N 54 E 9 lks. dist. of

a No. 10 " " " S 74 W 19 " "

46.37 a Beech 20 in. diam.

53.00 Intersected N. boundary 493 lks. N. of post

Set post Cor. to Sec. 6 & 7, from which

a Beech 6 in. diam. - bear N 37 W 9 lks. dist. of

a No. 8 " " " S 39 E 8 " "

Broken 2^d rate, timber as before

North Between Sec. 5 & 6

33.50 a Beech 36 in. diam.

40.00 Set q. Sec. post, from which

a Beech 8 in. diam. - bear N 35 E 18 lks. dist. of

a No. 10 " " " S 32 E 21 " "

61.00 a Beech 24 " "

64.75 a stream 20 lks. wide Course E.

70.62 Intersected the N. boundary 415 lks. N. of post

Set post Cor. to Sec. 5 & 6, from which

a Beech 10 in. diam. - bear S 62 W 21 lks. dist. of

a No. 24 " " " N 74 E 24 " "

First 1/2 mile broken 2^d rate - last 1/2 mile hilly3^d rate, Beech, Ash, Poplar, W. Oak, Sugar,undeg^d. Spruce - Sept. 27th 1819 - var. C. 25.6.

John Hendricks,

Deputy Surveyor

I Certify that the foregoing transcript of field notes
of Township N. 10 North, of Range N. 11 East of the
2^d Principal Mer. Indiana, has been compared
with the original notes in this Office, and found
to be correct.

Surveyor General's Office
Cincinnati, July 26th 1844

William Johnston
Sur. Genl.